






H20 Beam




H2O Timber Beam (TB)		Wt. (kg)	Code
 <p>Moment: 5.00 kN.m Shear: 11kN Area: 18.87 cm E.I= 500 kNm</p> <p>Finish: Varnished Yellow Supports are rounded at the end for damage protection. Web-three layer crosswise laminated solid timber panel. Weight: 5 kg per running meter</p>	H2O TB (200x80) 0125 cm	6.25	FTBH20125
	H2O TB (200x80) 0145 cm	7.25	FTBH20145
	H2O TB (200x80) 0165 cm	8.25	FTBH20165
	H2O TB (200x80) 0180 cm	9.00	FTBH20180
	H2O TB (200x80) 0225 cm	11.25	FTBH20225
	H2O TB (200x80) 0245 cm	12.25	FTBH20245
	H2O TB (200x80) 0265 cm	13.25	FTBH20265
	H2O TB (200x80) 0290 cm	14.50	FTBH20290
	H2O TB (200x80) 0295 cm	14.75	FTBH20295
	H2O TB (200x80) 0330 cm	16.50	FTBH20330
	H2O TB (200x80) 0360 cm	18.00	FTBH20360
	H2O TB (200x80) 0390 cm	19.50	FTBH20390
	H2O TB (200x80) 0450 cm	22.50	FTBH20450
	H2O TB (200x80) 0490 cm	24.50	FTBH20490
H2O TB (200x80) 0590 cm	29.50	FTBH20590	
H2O TB (200x80) 1190 cm	59.50	FTBH201190	


Unified GR Bracket		Wt. (kg)	Code
 <p>Attached to the H2O Beams with M16x75 mm bolt & nut (full threaded)</p> <p>Tube dia.: 60.3mm</p>	Unified GR-Bracket with 1no.M12X100 and 2no.M16X150 Bolt & Nut - Painted	3.65	FGDGRUBP001
	Unified GR-Bracket with 1no.M12X100 and 2no.M16X150 Bolt & Nut - EP	3.65	FGDGRUBE001


Supporting Forkhead (SF)			
 <p>Finish: Painted Blue</p>	Supporting Forkhead 10x17x20 (P)	3.88	FGF99006
	Supporting Forkhead 10x17x20 (EP)	3.88	FGF99006E
	Supporting Forkhead - 38 Painted	2.16	XESSFH
	Supporting Forkhead - 38 EP	2.16	XESSFHE

Universal Forkhead - H20			
	Universal Forkhead - H20	3.10	XESUFH20

Universal GR Bracket			
 <p>Tube dia.: 60.3mm</p>	Universal GR Bracket - Painted	4.32	FGDGRUBP

Beam Frame			
	Beam Frame (P)	7.64	FGDBFP
	Beam Frame (EP)	7.64	FGDBFE
	Beam Frame (GI)	7.64	FGDBFG

Beam Fork			
	Beam Fork (P)	4.46	FGFBFP0001
Length: 171 cm Dia.: 48.3 mm			

GR Post 150			
	GR Post 150 (P)	3.57	FGDGRP150
	GR Post 150 (EP)	3.57	FGDGRE150
Length: 150 cm Dia.: 48.3 mm With Nut & Bolt M12 x100			



Abu Dhabi

Dubai

T: +971 2 5500688

T: +971 4 8862855

F: +971 2 5500689

F: +971 4 5562558

P.O. BOX: 41851, Abu Dhabi, UAE

P.O. BOX: 18234, Jebel Ali, UAE

WWW.SCAFFCO.COM