


Labour Access & Platform







**Standard**

| Wt. (kg) | Code        |
|----------|-------------|
| 13.80    | FGS01P30300 |
| 11.50    | FGS01P30250 |
| 9.20     | FGS01P30200 |
| 6.90     | FGS01P30150 |
| 4.61     | FGS01P30100 |
| 2.31     | FGS01P30050 |
| 13.13    | FGS01P30280 |
| 10.83    | FGS01P30230 |
| 8.53     | FGS01P30180 |
| 6.23     | FGS01P30130 |
| 3.94     | FGS01P30080 |
| 2.98     | FGS01P30070 |
| 1.64     | FGS01P30030 |

Finish: Painted  
Tube dia.: 48.3mm  
50cm between cups (Nodes)

**Ledger**

|      |             |
|------|-------------|
| 9.64 | FGS02P28300 |
| 8.07 | FGS02P28250 |
| 7.76 | FGS02P28240 |
| 6.81 | FGS02P28210 |
| 6.50 | FGS02P28200 |
| 5.87 | FGS02P28180 |
| 5.24 | FGS02P28160 |
| 4.93 | FGS02P28150 |
| 4.30 | FGS02P28130 |
| 3.99 | FGS02P28120 |
| 3.67 | FGS02P28110 |
| 3.36 | FGS02P28100 |
| 3.04 | FGS02P28090 |
| 2.73 | FGS02P28080 |
| 2.42 | FGS02P28070 |
| 2.10 | FGS02P28060 |
| 1.16 | FGS02P28030 |

Finish: Painted  
Tube dia.: 48.3mm  
Ledger size defines as center to center of standards


**GS Diagonal Brace With Swivel Ends (GS DB)**

|       |             |
|-------|-------------|
| 8.48  | FGS50P28233 |
| 8.64  | FGS50P28238 |
| 9.20  | FGS50P28256 |
| 9.61  | FGS50P28269 |
| 11.21 | FGS50P28320 |
| 12.25 | FGS50P28353 |

**Shorelok Standard (SL) - 48**

|       |              |
|-------|--------------|
| 2.25  | FSL01P32A050 |
| 4.50  | FSL01P32A100 |
| 6.75  | FSL01P32A150 |
| 9.00  | FSL01P32A200 |
| 11.25 | FSL01P32A250 |
| 13.50 | FSL01P32A300 |



Finish: Painted +E/P + Hot Dip Galvanized  
Tube dia.: 48.3mm  
50cm between rings (Nodes).



**Shorelok Ledger (SL)**




| Wt. (kg) | Code         |
|----------|--------------|
| 1.76     | FSL02P30A030 |
| 2.77     | FSL02P30A060 |
| 3.77     | FSL02P30A090 |
| 4.11     | FSL02P30A100 |
| 4.78     | FSL02P30A120 |
| 5.11     | FSL02P30A130 |
| 5.78     | FSL02P30A150 |
| 6.12     | FSL02P30A160 |
| 6.79     | FSL02P30A180 |
| 7.79     | FSL02P30A210 |
| 8.80     | FSL02P30A240 |
| 9.13     | FSL02P30A250 |
| 9.80     | FSL02P30A270 |
| 10.81    | FSL02P30A300 |

Finish: Painted +E/P + Hot Dip Galvanized  
Tube dia.: 48.3mm  
Ledger size defines as center to center of Standards (Verticals)



**Shorelok Diagonal Brace (SL DB)**

|       |                |
|-------|----------------|
| 5.66  | FSL19P30A01117 |
| 6.16  | FSL19P30A01117 |
| 6.36  | FSL19P30A03142 |
| 6.81  | FSL19P30A04156 |
| 7.06  | FSL19P30A05164 |
| 7.58  | FSL19P30A06180 |
| 7.85  | FSL19P30A07189 |
| 8.41  | FSL19P30A08206 |
| 9.28  | FSL19P30A09233 |
| 10.19 | FSL19P30A10260 |
| 10.49 | FSL19P30A11269 |
| 11.11 | FSL19P30A12288 |
| 12.05 | FSL19P30A13316 |
| 7.25  | FSL19P30A14162 |
| 7.60  | FSL19P30A15175 |
| 7.76  | FSL19P30A16180 |
| 8.11  | FSL19P30A17192 |
| 8.30  | FSL19P30A18199 |
| 8.73  | FSL19P30A19212 |
| 8.95  | FSL19P30A20219 |
| 9.43  | FSL19P30A21235 |
| 10.19 | FSL19P30A22258 |
| 11.01 | FSL19P30A23283 |
| 11.28 | FSL19P30A24292 |
| 11.85 | FSL19P30A25309 |
| 12.73 | FSL19P30A26336 |
| 8.87  | FSL19P30A27209 |
| 9.15  | FSL19P30A28220 |
| 9.27  | FSL19P30A29224 |
| 9.55  | FSL19P30A30234 |
| 9.71  | FSL19P30A31239 |
| 10.06 | FSL19P30A32250 |
| 10.25 | FSL19P30A33256 |
| 10.65 | FSL19P30A34269 |
| 11.32 | FSL19P30A35290 |
| 12.04 | FSL19P30A36313 |
| 12.29 | FSL19P30A37320 |
| 12.81 | FSL19P30A38336 |
| 13.61 | FSL19P30A39361 |



Finish: Painted + E/P + Hot Dip Galvanized

| Transom               | Wt. (kg) | Code        |
|-----------------------|----------|-------------|
| <b>Painted</b>        |          |             |
| Transom 060 cm - 3 mm | 4.09     | FGS08P28060 |
| Transom 070 cm - 3 mm | 4.40     | FGS08P28070 |
| Transom 080 cm - 3 mm | 4.72     | FGS08P28080 |
| Transom 090 cm - 3 mm | 5.03     | FGS08P28090 |
| Transom 100 cm - 3 mm | 5.34     | FGS08P28100 |
| Transom 110 cm - 3 mm | 5.66     | FGS08P28110 |
| Transom 120 cm - 3 mm | 5.97     | FGS08P28120 |
| Transom 130 cm - 3 mm | 6.29     | FGS08P28130 |
| Transom 150 cm - 3 mm | 6.92     | FGS08P28150 |
| Transom 160 cm - 3 mm | 7.23     | FGS08P28160 |
| Transom 180 cm - 3 mm | 7.86     | FGS08P28180 |
| Transom 200 cm - 3 mm | 8.49     | FGS08P28200 |
| Transom 210 cm - 3 mm | 8.80     | FGS08P28210 |
| Transom 240 cm - 3 mm | 9.74     | FGS08P28240 |
| Transom 250 cm - 3 mm | 10.06    | FGS08P28250 |

Finish: Painted +EP + Hot Dip Galvanized  
Tube dia.: 48.3mm

| GS Spigot Connector (SC)    | Wt. (kg) | Code     |
|-----------------------------|----------|----------|
| GS SC Round with Bolts - P  | 0.98     | FSCRBP01 |
| GS SC Square with Bolts - P | 0.74     | FSCSBP01 |
| GS SC W/ washer - P         | 0.70     | FSCSWP01 |
| GS SC W/ washer & Bolts - P | 0.84     | FSCSWP02 |
| GS SC Round with Bolts - E  | 0.98     | FSCRBE01 |
| GS SC Square with Bolts - E | 0.74     | FSCSBE01 |
| GS SC W/ washer - E         | 0.70     | FSCSWE01 |
| GS SC W/ washer & Bolts - E | 0.84     | FSCSWE02 |

Attached to the standards with  
M9x75 mm bolt & nut (half threaded)

| Anchor Plate (AP) | Wt. (kg) | Code    |
|-------------------|----------|---------|
| AP 030 cm Painted | 3.07     | FAPP030 |
| AP 060 cm Painted | 4.07     | FAPP060 |
| AP 150 cm Painted | 7.09     | FAPP150 |
| AP 180 cm Painted | 8.09     | FAPP180 |

Finish: Painted

| Base Jack (BJ)              | Wt. (kg) | Code         |
|-----------------------------|----------|--------------|
| <b>Painted</b>              |          |              |
| BJ 65cm H-P 12x12cm-38 Dia. | 3.16     | FBJN38HP1265 |
| BJ 65cm H-P 15x15cm-38 Dia. | 3.52     | FBJN38HP1565 |
| BJ 76cm H-P 12x12cm-38 Dia. | 3.51     | FBJN38HP1276 |
| BJ 76cm H-P 15x15cm-38 Dia. | 3.87     | FBJN38HP1576 |
| <b>Electroplated</b>        |          |              |
| BJ 65cm H-E 12x12cm-38 Dia. | 3.16     | FBJN38HE1265 |
| BJ 65cm H-E 15x15cm-38 Dia. | 3.52     | FBJN38HE1565 |
| BJ 76cm H-E 12x12cm-38 Dia. | 3.51     | FBJN38HE1276 |
| BJ 76cm H-E 15x15cm-38 Dia. | 3.87     | FBJN38HE1576 |

D/F Jack handle  
38mm Hollow tube  
Plate 15x15cm (With holes)  
Plate 12x12cm (Without holes)

| Base Plate (BP)                           | Wt. (kg) | Code        |
|---|----------|-------------|
| BP 12x12x0.57 MD (Dia-27x2.0x100) Painted | 0.77     | FBP27HP1012 |
| BP 15x15x0.57 MD (Dia-27x2.0x100) Painted | 1.13     | FBP27HP1015 |
| BP 12x12x0.78 HD (Dia-38x3.8x100) Painted | 1.22     | FBP38HP1012 |
| BP 15x15x0.78 HD (Dia-38x3.8x100) Painted | 1.71     | FBP38HP1015 |


Plate 15x15cm (With holes)  
Plate 12x12cm (Without holes)

| Socket Base Adaptor (SBA) | Wt. (kg) | Code       |
|---------------------------|----------|------------|
| SBA Painted               | 1.38     | FGS11P2815 |
| SBA Painted               | 1.41     | FGS11P3015 |
| SBA Painted               | 1.43     | FGS11P3215 |
| Adaptor 30cm Painted      | 2.65     | FGS11P3030 |
| Adaptor 36cm Painted      | 2.85     | FGS11P3036 |
| Adaptor 30cm Painted      | 2.71     | FGS11P3230 |
| Adaptor 36cm Painted      | 2.92     | FGS11P3236 |

Socket Base Adaptor  
Adaptor 36cm  
Adaptor 30cm

| Steel Staircase (SS)           | Wt. (kg) | Code         |
|--------------------------------|----------|--------------|
| <b>Painted</b>                 |          |              |
| SS-250(H)x200(V)x070(W)x320(L) | 75.76    | FSC20P070320 |
| SS-250(H)x200(V)x080(W)x320(L) | 82.04    | FSC20P080320 |
| SS-250(H)x200(V)x090(W)x320(L) | 88.32    | FSC20P090320 |
| SS-250(H)x200(V)x100(W)x320(L) | 94.60    | FSC20P100320 |
| SS-250(H)x200(V)x110(W)x320(L) | 100.88   | FSC20P110320 |
| SS-250(H)x200(V)x120(W)x320(L) | 107.16   | FSC20P120320 |
| <b>Painted</b>                 |          |              |
| SS-180(H)x150(V)x70(W)x234(L)  | 67.87    | FSC20P070234 |
| SS-180(H)x200(V)x70(W)x269(L)  | 71.08    | FSC20P070269 |
| SS-250(H)x150(V)x70(W)x292(L)  | 73.19    | FSC20P070292 |

H= 240 (cm)  
V= 200 (cm)  
H (cm)  
V (cm)



| Scaffold Tube (ST) Painted | Wt. (kg) | Code      |
|----------------------------|----------|-----------|
| <b>M.D. Tube</b>           |          |           |
| ST 100 cm MD               | 2.28     | FSTP20100 |
| ST 150 cm MD               | 3.42     | FSTP20150 |
| ST 200 cm MD               | 4.57     | FSTP20200 |
| ST 250 cm MD               | 5.71     | FSTP20250 |
| ST 300 cm MD               | 6.85     | FSTP20300 |
| ST 350 cm MD               | 7.99     | FSTP20350 |
| ST 400 cm MD               | 9.13     | FSTP20400 |
| ST 450 cm MD               | 10.27    | FSTP20450 |
| ST 500 cm MD               | 11.42    | FSTP20500 |
| ST 550 cm MD               | 12.56    | FSTP20550 |
| ST 600 cm MD               | 13.70    | FSTP20600 |
| <b>H.D. Tube</b>           |          |           |
| ST 100 cm HD               | 3.35     | FSTP30100 |
| ST 150 cm HD               | 5.03     | FSTP30150 |
| ST 200 cm HD               | 6.70     | FSTP30200 |
| ST 250 cm HD               | 8.38     | FSTP30250 |
| ST 300 cm HD               | 10.05    | FSTP30300 |
| ST 350 cm HD               | 11.73    | FSTP30350 |
| ST 400 cm HD               | 13.41    | FSTP30400 |
| ST 450 cm HD               | 15.08    | FSTP30450 |
| ST 500 cm HD               | 16.76    | FSTP30500 |
| ST 550 cm HD               | 18.43    | FSTP30550 |
| ST 600 cm HD               | 20.11    | FSTP30600 |

Finish: Painted  
Dia.: 48.3 mm

| Scaffold Tube (ST) Black | Wt. (kg) | Code      |
|--------------------------|----------|-----------|
| <b>M.D. Tube</b>         |          |           |
| ST 100 cm MD             | 2.28     | FSTN20100 |
| ST 150 cm MD             | 3.42     | FSTN20150 |
| ST 200 cm MD             | 4.57     | FSTN20200 |
| ST 250 cm MD             | 5.71     | FSTN20250 |
| ST 300 cm MD             | 6.85     | FSTN20300 |
| ST 350 cm MD             | 7.99     | FSTN20350 |
| ST 400 cm MD             | 9.13     | FSTN20400 |
| ST 450 cm MD             | 10.27    | FSTN20450 |
| ST 500 cm MD             | 11.42    | FSTN20500 |
| ST 550 cm MD             | 12.56    | FSTN20550 |
| ST 600 cm MD             | 13.70    | FSTN20600 |
| <b>H.D. Tube</b>         |          |           |
| ST 100 cm HD             | 3.35     | FSTN30100 |
| ST 150 cm HD             | 5.03     | FSTN30150 |
| ST 200 cm HD             | 6.70     | FSTN30200 |
| ST 250 cm HD             | 8.38     | FSTN30250 |
| ST 300 cm HD             | 10.05    | FSTN30300 |
| ST 350 cm HD             | 11.73    | FSTN30350 |
| ST 400 cm HD             | 13.41    | FSTN30400 |
| ST 450 cm HD             | 15.08    | FSTN30450 |
| ST 500 cm HD             | 16.76    | FSTN30500 |
| ST 550 cm HD             | 18.43    | FSTN30550 |
| ST 600 cm HD             | 20.11    | FSTN30600 |

Finish: Black  
Dia.: 48.3 mm

**Scaffold Tube (ST) GI**

**M.D. Tube**

| Length (cm)  | Wt. (kg) | Code      |
|--------------|----------|-----------|
| ST 100 cm MD | 2.28     | FSTG20100 |
| ST 150 cm MD | 3.42     | FSTG20150 |
| ST 200 cm MD | 4.57     | FSTG20200 |
| ST 250 cm MD | 5.71     | FSTG20250 |
| ST 300 cm MD | 6.85     | FSTG20300 |
| ST 350 cm MD | 7.99     | FSTG20350 |
| ST 400 cm MD | 9.13     | FSTG20400 |
| ST 450 cm MD | 10.27    | FSTG20450 |
| ST 500 cm MD | 11.42    | FSTG20500 |
| ST 550 cm MD | 12.56    | FSTG20550 |
| ST 600 cm MD | 13.70    | FSTG20600 |

Finish: GI  
Dia.:48.3 mm

**H.D. Tube**

| Length (cm)  | Wt. (kg) | Code      |
|--------------|----------|-----------|
| ST 100 cm HD | 3.35     | FSTG30100 |
| ST 150 cm HD | 5.03     | FSTG30150 |
| ST 200 cm HD | 6.70     | FSTG30200 |
| ST 250 cm HD | 8.38     | FSTG30250 |
| ST 300 cm HD | 10.05    | FSTG30300 |
| ST 350 cm HD | 11.73    | FSTG30350 |
| ST 400 cm HD | 13.41    | FSTG30400 |
| ST 450 cm HD | 15.08    | FSTG30450 |
| ST 500 cm HD | 16.76    | FSTG30500 |
| ST 550 cm HD | 18.43    | FSTG30550 |
| ST 600 cm HD | 20.11    | FSTG30600 |

Finish: GI  
Dia.:48.3 mm

**Scaffold Couplers**



**Double Coupler (DC)**

| Description            | Wt. (kg) | Code       |
|------------------------|----------|------------|
| DC 1.5"x1.5" (D/F)     | 0.99     | XFGCDD4848 |
| DC 2.0"x1.5" (D/F)     | 1.20     | XFGCDD6048 |
| DC 1.5"x1.5" (Pressed) | 0.73     | XFGCDP4848 |




**Swivel Coupler (SC)**

| Description            | Wt. (kg) | Code       |
|------------------------|----------|------------|
| SC 1.5"x1.5" (D/F)     | 1.10     | XFGCSD4848 |
| SC 2.0"x1.5" (D/F)     | 1.25     | XFGCSD6048 |
| SC 1.5"x1.5" (Pressed) | 0.68     | XFGCSP4848 |

**Wooden Plank (WP)  
(Timber Board)**


**T W L**



| Description                    | Wt. (kg) | Code           |
|--------------------------------|----------|----------------|
| WP 38.0x225x3900mm             | 13.70    | FWP380225390   |
| WP 38.0x225x3000mm             | 10.54    | FWP3802253000  |
| WP 38.0x225x2500mm             | 8.78     | FWP3802252500  |
| WP 38.0x225x2000mm             | 7.03     | FWP3802252000  |
| WP 38.0x225x1000mm (Laminated) | 4.62     | FWP3802301000L |
| WP 38.0x225x1500mm (Laminated) | 6.22     | FWP3802301500L |
| WP 38.0x225x2000mm (Laminated) | 9.23     | FWP3802302000L |
| WP 38.0x225x2500mm (Laminated) | 11.54    | FWP3802302500L |
| WP 38.0x225x3000mm (Laminated) | 13.85    | FWP3802303000L |
| WP 38.0x225x3900mm (Laminated) | 18.00    | FWP3802303900L |

End Strip for Wooden Board Protection 0.05 XEXESWBPC

**Universal Jack (UJ)**



38mm Hollow tube  
D/F Jack Handle

| Description               | Wt. (kg) | Code       |
|---------------------------|----------|------------|
| UJ - 65 cm Painted        | 2.51     | FUJN38HP65 |
| UJ - 76 cm Painted        | 2.87     | FUJN38HP76 |
| UJ - 86 cm Painted        | 3.19     | FUJN38HP86 |
| UJ - 65 cm EP             | 2.51     | FUJN38HE65 |
| UJ - 76 cm EP             | 2.87     | FUJN38HE76 |
| UJ - 86 cm EP             | 3.19     | FUJN38HE86 |
| UJ - 65 cm Painted W/Hole | 2.51     | FUJN38HP65 |
| UJ - 76 cm Painted W/Hole | 2.87     | FUJN38HP76 |
| UJ - 86 cm Painted W/Hole | 3.19     | FUJN38HP86 |
| UJ - 65 cm EP W/Hole      | 2.51     | FUJN38HE65 |
| UJ - 76 cm EP W/Hole      | 2.87     | FUJN38HE76 |
| UJ - 86 cm EP W/Hole      | 3.19     | FUJN38HE86 |

**Universal jack with Two Nut (UJ - TN)**


| Description                  | Wt. (kg) | Code          |
|------------------------------|----------|---------------|
| UJ - TN 65 cm Painted        | 2.94     | FUJN38HP65TN  |
| UJ - TN 76 cm Painted        | 3.30     | FUJN38HP76TN  |
| UJ - TN 65 cm EP             | 2.94     | FUJN38HE65TN  |
| UJ - TN 76 cm EP             | 3.30     | FUJN38HE76TN  |
| UJ - TN 65 cm Painted W/Hole | 2.94     | FUJN38HP65TNH |
| UJ - TN 76 cm Painted W/Hole | 3.30     | FUJN38HP76TNH |
| UJ - TN 65 cm EP W/Hole      | 2.94     | FUJN38HE65TNH |
| UJ - TN 76 cm EP W/Hole      | 3.30     | FUJN38HE76TNH |

**Steel Board (SB)**

**B Type With Hook**

| Length (cm)         | Wt. (kg) | Code      |
|---------------------|----------|-----------|
| SB 060 cm - Painted | 6.06     | FEXSPB060 |
| SB 070 cm - Painted | 6.68     | FEXSPB070 |
| SB 080 cm - Painted | 7.30     | FEXSPB080 |
| SB 090 cm - Painted | 7.92     | FEXSPB090 |
| SB 100 cm - Painted | 8.55     | FEXSPB100 |
| SB 110 cm - Painted | 9.17     | FEXSPB110 |
| SB 120 cm - Painted | 9.79     | FEXSPB120 |
| SB 130 cm - Painted | 10.41    | FEXSPB130 |
| SB 150 cm - Painted | 11.66    | FEXSPB150 |
| SB 160 cm - Painted | 12.28    | FEXSPB160 |
| SB 180 cm - Painted | 13.52    | FEXSPB180 |
| SB 200 cm - Painted | 14.77    | FEXSPB200 |
| SB 210 cm - Painted | 15.39    | FEXSPB210 |
| SB 230 cm - Painted | 16.63    | FEXSPB230 |
| SB 240 cm - Painted | 17.57    | FEXSPB240 |
| SB 250 cm - Painted | 18.19    | FEXSPB250 |
| SB 280 cm - Painted | 20.06    | FEXSPB280 |
| SB 300 cm - Painted | 21.30    | FEXSPB300 |

(B-Type) (with hook)  
Width= 22cm, Thick.=6.6cm



Width= 22cm, Thick.=6.6cm  
(A-Type)

**A Type plain End**

| Length (cm)         | Wt. (kg) | Code      |
|---------------------|----------|-----------|
| SB 050 cm - Painted | 4.34     | FEXSPA050 |
| SB 060 cm - Painted | 4.96     | FEXSPA060 |
| SB 070 cm - Painted | 5.58     | FEXSPA070 |
| SB 080 cm - Painted | 6.21     | FEXSPA080 |
| SB 090 cm - Painted | 6.83     | FEXSPA090 |
| SB 100 cm - Painted | 7.45     | FEXSPA100 |
| SB 110 cm - Painted | 8.07     | FEXSPA110 |
| SB 120 cm - Painted | 8.69     | FEXSPA120 |
| SB 130 cm - Painted | 9.32     | FEXSPA130 |
| SB 150 cm - Painted | 10.56    | FEXSPA150 |
| SB 160 cm - Painted | 11.18    | FEXSPA160 |
| SB 180 cm - Painted | 12.43    | FEXSPA180 |
| SB 200 cm - Painted | 13.67    | FEXSPA200 |
| SB 230 cm - Painted | 15.54    | FEXSPA230 |
| SB 250 cm - Painted | 17.11    | FEXSPA250 |
| SB 280 cm - Painted | 20.91    | FEXSPA280 |
| SB 300 cm - Painted | 28.26    | FEXSPA300 |
| SB 320 cm - Painted | 21.45    | FEXSPA320 |
| SB 360 cm - Painted | 24.26    | FEXSPA360 |
| SB 390 cm - Painted | 26.12    | FEXSPA390 |
| SB 400 cm - Painted | 26.75    | FEXSPA400 |



Abu Dhabi

Dubai

T: +971 2 5500688

T: +971 4 8862855

F: +971 2 5500689

F: +971 4 5562558

P.O. BOX: 41851, Abu Dhabi, UAE

P.O. BOX: 18234, Jebel Ali, UAE

**WWW.SCAFFCO.COM**