



Lateral Supporting Systems




Steel Soldier (SS)



| | Wt. (kg) | Code |
|---------------------|----------|-----------|
| SS 030 cm - Painted | 8.57 | FSS01P030 |
| SS 040 cm - Painted | 9.98 | FSS01P040 |
| SS 050 cm - Painted | 11.40 | FSS01P050 |
| SS 060 cm - Painted | 12.82 | FSS01P060 |
| SS 070 cm - Painted | 14.24 | FSS01P070 |
| SS 080 cm - Painted | 15.66 | FSS01P080 |
| SS 090 cm - Painted | 17.51 | FSS01P090 |
| SS 100 cm - Painted | 18.93 | FSS01P100 |
| SS 110 cm - Painted | 20.35 | FSS01P110 |
| SS 120 cm - Painted | 21.77 | FSS01P120 |
| SS 130 cm - Painted | 23.18 | FSS01P130 |
| SS 140 cm - Painted | 24.60 | FSS01P140 |
| SS 150 cm - Painted | 26.02 | FSS01P150 |
| SS 160 cm - Painted | 27.87 | FSS01P160 |
| SS 170 cm - Painted | 29.29 | FSS01P170 |
| SS 180 cm - Painted | 30.71 | FSS01P180 |
| SS 190 cm - Painted | 32.13 | FSS01P190 |
| SS 200 cm - Painted | 33.55 | FSS01P200 |
| SS 210 cm - Painted | 34.97 | FSS01P210 |
| SS 220 cm - Painted | 36.82 | FSS01P220 |
| SS 230 cm - Painted | 38.24 | FSS01P230 |
| SS 240 cm - Painted | 39.66 | FSS01P240 |
| SS 250 cm - Painted | 41.07 | FSS01P250 |
| SS 260 cm - Painted | 42.49 | FSS01P260 |
| SS 270 cm - Painted | 43.91 | FSS01P270 |
| SS 280 cm - Painted | 45.76 | FSS01P280 |
| SS 290 cm - Painted | 47.18 | FSS01P290 |
| SS 300 cm - Painted | 48.60 | FSS01P300 |
| SS 310 cm - Painted | 50.02 | FSS01P310 |
| SS 320 cm - Painted | 51.44 | FSS01P320 |
| SS 330 cm - Painted | 52.86 | FSS01P330 |
| SS 340 cm - Painted | 54.71 | FSS01P340 |
| SS 350 cm - Painted | 56.13 | FSS01P350 |
| SS 360 cm - Painted | 57.54 | FSS01P360 |
| SS 370 cm - Painted | 58.96 | FSS01P370 |
| SS 380 cm - Painted | 60.81 | FSS01P380 |
| SS 390 cm - Painted | 62.23 | FSS01P390 |
| SS 400 cm - Painted | 63.65 | FSS01P400 |




Double Push Pull Props Double Adjustable (DPPDA)



| | | |
|-----------------------------|-------|---------------|
| DPPDA 150cm (E/P Collar) HD | 20.00 | FDPD10015030E |
| DPPDA 250cm (E/P Collar) HD | 22.24 | FDPD15025030E |
| DPPDA 300cm (E/P Collar) HD | 24.36 | FDPD17030030E |
| DPPDA 350cm (E/P Collar) HD | 26.02 | FDPD20035030E |
| DPPDA 400cm (E/P Collar) HD | 27.26 | FDPD25040030E |
| DPPDA 450cm (E/P Collar) HD | 31.93 | FDPD25045030E |
| DPPDA 500cm (E/P Collar) HD | 33.61 | FDPD30050030E |
| DPPDA 550cm (E/P Collar) HD | 35.28 | FDPD35055030E |
| DPPDA 600cm (E/P Collar) HD | 36.96 | FDPD40060030E |


Single Stabilizer (SS)



| | | |
|----------------------|-------|--------------|
| SS 48-150 cm Painted | 8.83 | FSZS3848P150 |
| SS 48-200 cm Painted | 10.71 | FSZS3848P200 |
| SS 48-250 cm Painted | 12.63 | FSZS3848P250 |
| SS 48-300 cm Painted | 14.72 | FSZS3848P300 |
| SS 48-350 cm Painted | 16.80 | FSZS3848P350 |
| SS 48-400 cm Painted | 19.74 | FSZS3848P400 |
| SS 48-150 cm E/P | 8.83 | FSZS3848E150 |
| SS 48-200 cm E/P | 10.71 | FSZS3848E200 |
| SS 48-250 cm E/P | 12.63 | FSZS3848E250 |
| SS 48-300 cm E/P | 14.72 | FSZS3848E300 |
| SS 48-350 cm E/P | 16.80 | FSZS3848E350 |
| SS 48-400 cm E/P | 19.74 | FSZS3848E400 |
| SS 60-150 cm Painted | 10.70 | FSZS3860P150 |
| SS 60-200 cm Painted | 13.08 | FSZS3860P200 |
| SS 60-250 cm Painted | 15.55 | FSZS3860P250 |
| SS 60-300 cm Painted | 18.19 | FSZS3860P300 |
| SS 60-350 cm Painted | 20.84 | FSZS3860P350 |
| SS 60-400 cm Painted | 24.34 | FSZS3860P400 |
| SS 60-450 cm Painted | 26.99 | FSZS3860P450 |
| SS 60-500 cm Painted | 29.64 | FSZS3860P500 |
| SS 60-550 cm Painted | 32.28 | FSZS3860P550 |
| SS 60-600 cm Painted | 34.93 | FSZS3860P600 |
| SS 60-700 cm Painted | 40.22 | FSZS3860P700 |
| SS 60-150 cm E/P | 10.70 | FSZS3860E150 |
| SS 60-200 cm E/P | 13.08 | FSZS3860E200 |
| SS 60-250 cm E/P | 15.55 | FSZS3860E250 |
| SS 60-300 cm E/P | 18.19 | FSZS3860E300 |
| SS 60-350 cm E/P | 20.84 | FSZS3860E350 |
| SS 60-400 cm E/P | 24.34 | FSZS3860E400 |
| SS 60-450 cm E/P | 26.99 | FSZS3860E450 |
| SS 60-500 cm E/P | 29.64 | FSZS3860E500 |
| SS 60-550 cm E/P | 32.28 | FSZS3860E550 |
| SS 60-600 cm E/P | 34.93 | FSZS3860E600 |
| SS 60-700 cm E/P | 40.22 | FSZS3860E700 |

New Single Stabilizer 48
New Single Stabilizer 60

Corner Soldier (CS)



| | Wt. (kg) | Code |
|---------------------|----------|-----------|
| CS 040 cm - Painted | 10.20 | FSS02P040 |
| CS 050 cm - Painted | 11.98 | FSS02P050 |
| CS 060 cm - Painted | 13.74 | FSS02P060 |
| CS 070 cm - Painted | 15.51 | FSS02P070 |
| CS 080 cm - Painted | 17.92 | FSS02P080 |
| CS 090 cm - Painted | 19.69 | FSS02P090 |
| CS 100 cm - Painted | 21.47 | FSS02P100 |
| CS 110 cm - Painted | 23.24 | FSS02P110 |
| CS 120 cm - Painted | 25.61 | FSS02P120 |
| CS 130 cm - Painted | 27.42 | FSS02P130 |
| CS 140 cm - Painted | 29.19 | FSS02P140 |
| CS 150 cm - Painted | 32.25 | FSS02P150 |
| CS 160 cm - Painted | 34.02 | FSS02P160 |
| CS 170 cm - Painted | 35.79 | FSS02P170 |
| CS 180 cm - Painted | 38.20 | FSS02P180 |
| CS 190 cm - Painted | 39.97 | FSS02P190 |
| CS 200 cm - Painted | 41.74 | FSS02P200 |
| CS 210 cm - Painted | 44.16 | FSS02P210 |
| CS 220 cm - Painted | 45.93 | FSS02P220 |
| CS 230 cm - Painted | 47.87 | FSS02P230 |
| CS 240 cm - Painted | 50.11 | FSS02P240 |
| CS 250 cm - Painted | 51.88 | FSS02P250 |
| CS 260 cm - Painted | 53.65 | FSS02P260 |
| CS 270 cm - Painted | 56.07 | FSS02P270 |
| CS 280 cm - Painted | 57.84 | FSS02P280 |
| CS 290 cm - Painted | 59.61 | FSS02P290 |
| CS 300 cm - Painted | 62.02 | FSS02P300 |
| CS 310 cm - Painted | 63.79 | FSS02P310 |
| CS 320 cm - Painted | 65.56 | FSS02P320 |
| CS 330 cm - Painted | 67.98 | FSS02P330 |
| CS 340 cm - Painted | 69.75 | FSS02P340 |
| CS 350 cm - Painted | 71.52 | FSS02P350 |
| CS 360 cm - Painted | 73.93 | FSS02P360 |
| CS 370 cm - Painted | 75.70 | FSS02P370 |
| CS 380 cm - Painted | 77.47 | FSS02P380 |
| CS 390 cm - Painted | 79.89 | FSS02P390 |
| CS 400 cm - Painted | 81.66 | FSS02P400 |

Finish: Painted


Single Rocking Push-Pull Prop (SRPPP)




















| | | |
|---------------------------------|-------|---------------|
| SRPPP 150cm (Painted Collar) HD | 10.09 | FRPP10015030P |
| SRPPP 200cm (Painted Collar) HD | 12.21 | FRPP12020030P |
| SRPPP 250cm (Painted Collar) HD | 13.84 | FRPP15025030P |
| SRPPP 300cm (Painted Collar) HD | 15.96 | FRPP17030030P |
| SRPPP 350cm (Painted Collar) HD | 17.62 | FRPP20035030P |
| SRPPP 400cm (Painted Collar) HD | 19.30 | FRPP25040030P |
| SRPPP 450cm (Painted Collar) HD | 21.42 | FRPP25045030P |
| SRPPP 500cm (Painted Collar) HD | 23.09 | FRPP30050030P |
| SRPPP 550cm (Painted Collar) HD | 24.77 | FRPP35055030P |
| SRPPP 600cm (Painted Collar) HD | 26.44 | FRPP40060030P |
| SRPPP 150cm (E/P Collar) HD | 10.09 | FRPP10015030E |
| SRPPP 200cm (E/P Collar) HD | 12.21 | FRPP12020030E |
| SRPPP 250cm (E/P Collar) HD | 13.84 | FRPP15025030E |
| SRPPP 300cm (E/P Collar) HD | 15.96 | FRPP17030030E |
| SRPPP 350cm (E/P Collar) HD | 17.62 | FRPP20035030E |
| SRPPP 400cm (E/P Collar) HD | 19.30 | FRPP25040030E |
| SRPPP 450cm (E/P Collar) HD | 21.42 | FRPP25045030E |
| SRPPP 500cm (E/P Collar) HD | 23.09 | FRPP30050030E |
| SRPPP 550cm (E/P Collar) HD | 24.77 | FRPP35055030E |
| SRPPP 600cm (E/P Collar) HD | 26.44 | FRPP40060030E |






Finish: Painted


Double Stabilizers (DS)



| | | |
|----------------------|-------|--------------|
| DS 48-250 cm Painted | 24.47 | FSZD3848P250 |
| DS 48-300 cm Painted | 28.43 | FSZD3848P300 |
| DS 48-350 cm Painted | 30.51 | FSZD3848P350 |
| DS 48-400 cm Painted | 35.37 | FSZD3848P400 |
| DS 48-250 cm E/P | 24.47 | FSZD3848E250 |
| DS 48-300 cm E/P | 28.43 | FSZD3848E300 |
| DS 48-350 cm E/P | 30.51 | FSZD3848E350 |
| DS 48-400 cm E/P | 35.37 | FSZD3848E400 |
| DS 60-250 cm Painted | 29.25 | FSZD3860P250 |
| DS 60-300 cm Painted | 34.28 | FSZD3860P300 |
| DS 60-350 cm Painted | 36.92 | FSZD3860P350 |
| DS 60-400 cm Painted | 40.42 | FSZD3860P400 |
| DS 60-450 cm Painted | 45.53 | FSZD3860P450 |
| DS 60-500 cm Painted | 48.18 | FSZD3860P500 |
| DS 60-550 cm Painted | 50.83 | FSZD3860P550 |
| DS 60-250 cm E/P | 29.25 | FSZD3860E250 |
| DS 60-300 cm E/P | 34.28 | FSZD3860E300 |
| DS 60-350 cm E/P | 36.92 | FSZD3860E350 |
| DS 60-400 cm E/P | 40.42 | FSZD3860E400 |
| DS 60-450 cm E/P | 45.53 | FSZD3860E450 |
| DS 60-500 cm E/P | 48.18 | FSZD3860E500 |
| DS 60-550 cm E/P | 50.83 | FSZD3860E550 |

| | | Wt. (kg) | Code | | | Wt. (kg) | Code |
|---|-------------------------------|----------|------------|--|--------------------------------|----------|-----------|
| Push Pull Corner Angle | | | | W10 Lifting Lug | | | |
|  | Push Pull Corner Angle | 6.50 | FSS99P029 |  | W10 Lifting Lug | 2.85 | XC122LL01 |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Vertical Soldier Bracket | | | | Soldier Pivot Cleat | | | |
|  | Vertical Soldier Bracket-50 | 3.20 | FSS99P25 |  | Soldier Pivot Cleat | 7.75 | FSS99P016 |
| | Vertical Soldier Bracket-60 | 3.20 | FSS99P35 | | | | |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Horizontal Soldier Bracket | | | | Holding Down Bracket | | | |
|  | Horizontal Soldier Bracket-50 | 3.00 | FSS99P010 |  | Holding Down Bracket | 22.20 | FSS99P061 |
| | Horizontal Soldier Bracket-60 | 3.00 | FSS99P034 | | | | |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Soldier End Bearing Bracket | | | | Soldier Floor Bracket | | | |
|  | Soldier End Bearing Bracket | 4.10 | FSS99P021 |  | Soldier Floor Bracket H.D.-120 | 3.25 | FSS99P006 |
| | | | | | Soldier Floor Bracket H.D.-180 | 6.28 | FSS99P041 |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Universal Angle Tie Bracket | | | | Soldier Shoring Base Adaptor | | | |
|  | Universal Angle Tie Bracket | 5.30 | FSS99P032 |  | Soldier Shoring Base Adaptor | 5.51 | FSS99P020 |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Horizontal Corner Soldier 90 | | | | Universal Connection Bracket | | | |
|  | Horizontal Corner Soldier 90 | 12.95 | FSS02HP090 |  | Universal Connection Bracket | 2.69 | XFGUCB01 |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| Shoring Adaptor | | | | Stop End Bracket | | | |
|  | Shoring Adaptor (Left) | 9.31 | FSS99P018 |  | Stop End Bracket | 3.71 | FSS99P044 |
| | Shoring Adaptor (Right) | 9.31 | FSS99P019 | | | | |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| <i>Jack: 50cm, 36 mm Solid Dia.</i> | | | | <i>Finish: Painted</i> | | | |
| HD Shoring Base | | | | Bearing Bar | | | |
|  | HD Shoring base-50 | 4.48 | FSS99P056 |  | Bearing Bar 175 | 2.10 | FSS99P030 |
|  | HD Shoring base-60 | 4.48 | FSS99P057 | | Bearing Bar 270 | 3.20 | FSS99P031 |
| <i>Finish: Painted</i> | | | | <i>Finish: Painted</i> | | | |
| | | | | <i>Length: 17.5 cm</i> | | | |
| | | | | <i>Length: 27 cm</i> | | | |

| | Wt. (kg) | Code | Wt. (kg) | Code |
|---|----------|-----------|----------|------|
| HD Soldier Lifting Bracket | | | | |
|  <p>HD Soldier Lifting Bracket (with 4 Bolt M16X40 mm Bolt ,Nut &Washer) 4.53</p> <p>Finish: Painted</p> | 4.53 | FSS99P060 | | |
| Soldier Lifting Bracket | | | | |
|  <p>Soldier Lifting Bracket</p> <p>Plated size: 16x22 cm</p> | 4.00 | FSS99P015 | | |
| Rocking Push Pull Prop Base | | | | |
|  <p>Rocking Push Pull Prop Base</p> <p>Finish: Painted</p> | 0.94 | XFGRB001 | | |
| Double Push Pull Prop Base | | | | |
|  <p>Double Push Pull Prop Base</p> <p>Finish: Painted</p> | 3.00 | XFGRB002 | | |
| Double Push Pull Prop Base- Modified | | | | |
|  <p>Double Push Pull Prop Base- Modified</p> <p>Finish: Painted</p> | 3.46 | XFGRB003 | | |



Abu Dhabi

Dubai

T: +971 2 5500688

T: +971 4 8862855

F: +971 2 5500689

F: +971 4 5562558

P.O. BOX: 41851, Abu Dhabi, UAE

P.O. BOX: 18234, Jebel Ali, UAE

WWW.SCAFFCO.COM